

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA347042

RPA70 (RPA1) Mouse Monoclonal Antibody [Clone ID: 8C3-D12-H10]

Product data:

Product Type: Primary Antibodies

Clone Name: 8C3-D12-H10

Applications: IF, IP, WB

Recommend Dilution: WB: 1:1000, IF: 1:100

Reactivity: Human, Monkey, Mouse, Rat

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: The immunogen for RPA70 antibody: purified recombinant human RPA70 protein fragments

expressed in E.coli.

Formulation: Purified mouse monoclonal antibody in PBS(pH 7.4) containing with 0.02% sodium azide and

50% glycerol.

Purification: Affinity purified

Predicted Protein Size: 70 kDa

Gene Name: replication protein A1

Database Link: NP 002936 Entrez Gene 68275 MouseEntrez Gene 287524 RatEntrez Gene 6117 Human

Background: Plays an essential role in several cellular processes in DNA metabolism including

replication, recombination and DNA repair. Binds and subsequently stabilizes single-stranded DNA intermediates and thus prevents complementary DNA from reannealing. Functions as component of the alternative replication protein A complex (aRPA). aRPA binds single-

stranded DNA and probably plays a role in DNA repair; it does not support chromosomal DNA replication and cell cycle progression through S-phase. In vitro, aRPA cannot promote efficient priming by DNA polymerase alpha but supports DNA polymerase delta synthesis in the presence of PCNA and replication factor C (RFC), the dual incision/excision reaction of

nucleotide excision repair and RAD51-dependent strand exchange.

Synonyms: HSSB; MST075; REPA1; RF-A; RP-A; RPA70


Protein Families: Druggable Genome, Stem cell - Pluripotency

Protein Pathways: DNA replication, Homologous recombination, Mismatch repair, Nucleotide excision repair






Product images:




Western blot detection of RPA70 in Hela, A431, MCF7, COS7, HT1080 and K562 cell lysates using RPA70 mouse mAb (1:1000 diluted).Predicted band size:70KDa.Observed band size:70KDa.




Western blot detection of RPA70 in Hela, 293T, C6, 3T3 and K562 cell lysates using RPA70 mouse mAb (1:1000 diluted).Predicted band size:70KDa.Observed band size:70KDa.






Western blot detection of RPA70 in HUVEC, Hacat, 3T3, MCF7 and A549 cell lysates using RPA70 mouse mAb (1:2000 diluted).Predicted band size:70KDa.Observed band size:70KDa.



Immunocytochemistry staining of HeLa cells fixed in 1% Paraformaldehyde and using RPA70 mouse mAb (dilution 1:100).



Immunoprecipitation analysis of Hela cell lysates using RPA70 mouse mAb.