

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com

techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

## **Product datasheet for TA502805**

## **ALDH1A3 Mouse Monoclonal Antibody [Clone ID: OTI4B6]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI4B6

**Applications:** FC, IHC, WB

Recommend Dilution: WB 1:200, IHC 1:150, FLOW 1:100

Reactivity: Human, Monkey, Dog

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 1-100 and 413-512 of

human ALDH1A3 (NP\_000648) produced in E.coli.

**Formulation:** PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Predicted Protein Size:** 55.9 kDa

**Gene Name:** aldehyde dehydrogenase 1 family member A3

Database Link: NP 000684 Entrez Gene 100856346 DogEntrez Gene 694231 MonkeyEntrez Gene 220 Human

**Background:** Aldehyde dehydrogenase isozymes are thought to play a major role in the detoxification of

aldehydes generated by alcohol metabolism and lipid peroxidation. The enzyme encoded by this gene uses retinal as a substrate, either in a free or cellular retinol-binding protein form.

[provided by RefSeq, Jul 2008]

Synonyms: ALDH1A6; ALDH6; MCOP8; RALDH3

**Protein Families:** Druggable Genome

**Protein Pathways:** Drug metabolism - cytochrome P450, Glycolysis / Gluconeogenesis, Histidine metabolism,


Metabolic pathways, Metabolism of xenobiotics by cytochrome P450, Phenylalanine

metabolism, Tyrosine metabolism







## **Product images:**




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-ALDH1A3 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).



Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-ALDH1A3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, TA502805)



Immunohistochemical staining of paraffinembedded Carcinoma of Human prostate tissue using anti-ALDH1A3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, TA502805)



Flow cytometric Analysis of Jurkat cells, using anti-ALDH1A3 antibody (TA502805), (Red), compared to a nonspecific negative control antibody, (Blue).