

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA503097

Spermine synthase (SMS) Mouse Monoclonal Antibody [Clone ID: OTI3A8]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3A8

Applications: FC, IF, IHC, WB

Recommend Dilution: WB 1:2000, IHC 1:150, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human SMS (NP_004586) produced in HEK293T

cell.

Formulation: PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.27 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Predicted Protein Size: 41.1 kDa

Gene Name: spermine synthase

Database Link: NP 004586 Entrez Gene 6611 Human

Background: The protein encoded by this gene belongs to the spermidine/spermine synthases family. This

gene encodes an ubiquitous enzyme of polyamine metabolism. [provided by RefSeq]

Synonyms: MRSR; SPMSY; SpS; SRS


Protein Pathways: Arginine and proline metabolism, beta-Alanine metabolism, Cysteine and methionine

metabolism, Glutathione metabolism, Metabolic pathways






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SMS ([RC200619], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SMS. Positive lysates [LY417877] (100ug) and [LC417877] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (10ug) from 10 Human tissue by using anti-SMS monoclonal antibody at 1:200 (1: Testis; 2: Omentum; 3: Uterus; 4: Breast; 5: Brain; 6: Liver; 7: Ovary; 8: Thyroid gland; 9: colon;10: spleen).






Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-SMS mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503097)




Anti-SMS mouse monoclonal antibody (TA503097) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY SMS ([RC200619]).




HEK293T cells transfected with either [RC200619] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-SMS antibody (TA503097), and then analyzed by flow cytometry.





Flow cytometric Analysis of Hela cells, using anti-SMS antibody (TA503097), (Red), compared to a nonspecific negative control antibody, (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-SMS antibody (TA503097), (Red), compared to a nonspecific negative control antibody, (Blue).