

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **Product datasheet for TA804004**

## **IL13 Mouse Monoclonal Antibody [Clone ID: OTI6D3]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI6D3

Applications: WB

Reactivity: WB 1:500

Human

Host: Mouse

Isotype: lgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 36-146 of human IL13

(NP\_002179) produced in E.coli.

**Formulation:** PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Predicted Protein Size: 10.5 kDa

**Gene Name:** interleukin 13

Database Link: NP 002179 Entrez Gene 3596 Human

**Background:** This gene encodes an immunoregulatory cytokine produced primarily by activated Th2 cells.

This cytokine is involved in several stages of B-cell maturation and differentiation. It upregulates CD23 and MHC class II expression, and promotes IgE isotype switching of B cells. This cytokine down-regulates macrophage activity, thereby inhibits the production of pro-

inflammatory cytokines and chemokines. This cytokine is found to be critical to the

pathogenesis of allergen-induced asthma but operates through mechanisms independent of

IgE and eosinophils. This gene, IL3, IL5, IL4, and CSF2 form a cytokine gene cluster on chromosome 5q, with this gene particularly close to IL4. [provided by RefSeq, Jul 2008]

Synonyms: IL-13; P600

**Protein Families:** Druggable Genome, Secreted Protein, Transmembrane






**Protein Pathways:** 

Asthma, Cytokine-cytokine receptor interaction, Fc epsilon RI signaling pathway, Jak-STAT signaling pathway

## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY IL13 ([RC216947], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-IL13. Positive lysates [LY400793] (100ug) and [LC400793] (20ug) can be purchased separately from OriGene.